OJS 3

OJS-de.net Netzwerkworkshop 2017

Božana Bokan | Public Knowledge Project

Copyright: Simon Fraser University holds the copyright for work produced by the Public Knowledge Project and has placed its documentation under a Creative Commons Attribution 4.0 International License.

Überblick

- Public Knowledge Project (PKP)
- Was ist neu in OJS 3?
- Migration zu OJS 3
- OJS-Roadmap
- PKP-Aktivitäten
- Diskussion

Public Knowledge Project: Background

- Gegründet in 1998 durch John Willinsky
  “PKP is a multi-university initiative developing (free) open source software and conducting research to improve the quality and reach of scholarly publishing”

- 2002: OJS (Open Journal Systems)
- 2012: OMP (Open Monograph Press)

- OCS (Open Conference Systems), OHS (Open Harvester Systems), LOCKSS PLN, XML Publishing, Cooperatives, …
- Dienste: Hosting, PKP Index, ALM, ...

Public Knowledge Project: “Officielles” Team

PKP-Mitarbeiter, von PKP / CC BY (16.02.2017)

Weltkarte, von by Ktrinko von Wikimedia Commons / CC0 (13.03.2017)

Location of journals using Open Journal Systems



ULR: https://pkp.sfu.ca/ojs/ojs-usage/ojs-map/
Screenshot (14. Februar 2017)

Public Knowledge Project: Contributors

```
<locale key="ar_IQ" complete="true"  name="العربية" iso639-2b="ara" iso639-3="ara" stylesheet="lib/
<locale key="ca_ES" complete="false" name="Català" iso639-2b="cat" iso639-3="cat" />
<locale key="cs_CZ" complete="true"  name="Čeština" iso639-2b="cze" iso639-3="ces" />
<locale key="da_DK" complete="false" name="Dansk" iso639-2b="dan" iso639-3="dan" />
<locale key="de_DE" complete="true"  name="Deutsch" iso639-2b="ger" iso639-3="deu" />
<locale key="el_GR" complete="false" name="ελληνικά" iso639-2b="gre" iso639-3="ell" />
<locale key="en_US" complete="true"  name="English" iso639-2b="eng" iso639-3="eng" />
<locale key="es_AR" complete="false" name="Español (Argentina)" iso639-2b="spa" iso639-3="spa" />
<locale key="es_ES" complete="true"  name="Español (España)" iso639-2b="spa" iso639-3="spa" />
<locale key="eu_ES" complete="false" name="Euskara" iso639-2b="eus" iso639-3="eus" />
<locale key="fa_IR" complete="false" name="فارسی" iso639-2b="per" iso639-3="fas" />
<locale key="fr_CA" complete="true"  name="Français (Canada)" iso639-2b="fre" iso639-3="fra" />
<locale key="fr_FR" complete="true"  name="Français (France)" iso639-2b="fre" iso639-3="fra" />
<locale key="gl_ES" complete="false" name="Galego" iso639-2b="glg" iso639-3="glg" />
<locale key="hr_HR" complete="false" name="Hrvatski" iso639-2b="hrv" iso639-3="hrv" />
<locale key="id_ID" complete="false" name="Bahasa Indonesia" iso639-2b="ind" iso639-3="ind" />
<locale key="it_IT" complete="false" name="Italiano" iso639-2b="ita" iso639-3="ita" />
<locale key="ja_JP" complete="false" name="日本語" iso639-2b="jpn" iso639-3="jpn" />
<locale key="mk_MK" complete="false" name="Македонски јазик" iso639-2b="mac" iso639-3="mkd" />
<locale key="ml_IN" complete="false" name="മലയാളം" iso639-2b="mal" iso639-3="mal" />
<locale key="nl_NL" complete="true"  name="Nederlands" iso639-2b="dut" iso639-3="nld" />
<locale key="no_NO" complete="false" name="Norsk" iso639-2b="nor" iso639-3="nor" />
<locale key="pl_PL" complete="false" name="Język Polski" iso639-2b="pol" iso639-3="pol" />
<locale key="pt_BR" complete="true"  name="Português (Brasil)" iso639-2b="por" iso639-3="por" />
<locale key="pt_PT" complete="true"  name="Português (Portugal)" iso639-2b="por" iso639-3="por" />
<locale key="ro_RO" complete="false" name="Limba Română" iso639-2b="rum" iso639-3="ron" />
<locale key="ru_RU" complete="false" name="Русский" iso639-2b="rus" iso639-3="rus" />
<locale key="sk_SK" complete="false" name="Slovenčina" iso639-2b="slk" iso639-3="slk" />
<locale key="sr_SR" complete="false" name="Српски" iso639-2b="srp" iso639-3="srp" />
<locale key="sv_SE" complete="false" name="Svenska" iso639-2b="swe" iso639-3="swe" />
<locale key="tr_TR" complete="true"  name="Türkçe" iso639-2b="tur" iso639-3="tur" />
<locale key="uk_UA" complete="false" name="Українська" iso639-2b="ukr" iso639-3="ukr" />
<locale key="vi_VN" complete="false" name="Tiếng Việt" iso639-2b="vie" iso639-3="vie" />
<locale key="zh_CN" complete="true"  name="简体中文" iso639-2b="chi" iso639-3="zho" />
<locale key="zh_TW" complete="false" name="繁體中文" iso639-2b="chi" iso639-3="zho" />
```

URL: https://github.com/pkp/ojs/blob/ojs-stable-2_4_8/registry/locales.xml
Screenshot (14. Februar 2017)

Was ist neu in OJS 3?

URL: http://journal.fi/lahikuva/article/view/60474
Screenshot (22. Februar 2017)

User Interface (UI)

- Responsiveness
- Barrierefreiheit
- Überarbeitete Menüs und Benutzernavigation
- Trennung vom Leser- und administrativen UI (Frontend und Backend)
- Alternative Auswahl an Font und Farben
- Layout-Vorlagen
- Bootstrap

Dashboard

- Kein Rollenwechsel nötig, um eine Aufgabe zu machen - alles auf dem Dashboard



Screenshot, OJS 3-Dashboard, (17. Februar 2017)

Rollen

- Rollen umbenennen
- Neue Rollen erstellen und mit einzelnen Workflow-Schritten assoziieren
- Neuen Rollen die existierende Zugriffsrechte geben (wie Autor/in, Gutachter/in, Rubrikredakteur/in, usw.)

Aufgaben



Tasks, aus Learning OJS 3, von PKP / CC BY
(08.03.2017)

Status und Benachrichtigungen



Responding to Reviews, aus Learning OJS 3, von PKP / CC BY (08.03.2017)



Screenshot, Begutachtungsstatus, (17. Februar 2017)

Workflow

- Vier Workflow-Schritte: Einreichung, Begutachtung, Lektorat, Produktion
- Einzelne Schritte können übersprungen werden
- In jedem Schritt kann man die Benutzer/innen einbeziehen, die man braucht/möchte



Screenshot, Lektorat, (17. Februar 2017)

Diskussionen (1)

- Neues Feature, um Kommunikation im Publikationsprozess besser verfolgen zu können
- Steht in jeder Phase des Workflows (Einreichung, Begutachtung, Lektorat, Produktion) zur Verfügung
- Einem Forum ähnlich: ein/e Benutzer/in erstellt neues Diskussionsthema, lädt andere Teilnehmende ein und versendet die Nachricht (auch mit Anhängen). Empfänger/innen bekommen E-Mail-Benachrichtigung über die neue Nachricht und können wie in einem Forum auf die Nachricht antworten.

Diskussionen (2)

Copyediting Discussions Add discussion

Name	From	Last Reply	Replies	Closed
[JPK] Copyediting Request	sberardo Aug/31	-	0	☐
Copyediting check	svogt Aug/31	mishkin Aug/31	1	☐

Screenshot, Diskussion-Themen, (14. Februar 2017)

Copyediting check

Participants Edit

Sarah Vogt (svogt)

Apostolos Mishkin (mishkin)

Messages

Note	From
Please review the attached copyedited files and let me know if you have any comments. svogt, Copyeditor, submission-manuscript.docx	svogt Aug 31
This looks good!	mishkin Aug 31

Add Message

Screenshot, Diskussion-Nachrichten, (14. Februar 2017)

Datei-Upload

- Upload von mehreren Dateien



Screenshot, Datei-Upload, (17. Februar 2017)

Benutzer/innen-Profil

- Besser Strukturiert



Screenshot, Benutzer/innen-Profil, (20. Februar 2017)

Registrierung

- Nur die wichtigsten Felder



Screenshot, Registrierung, (20. Februar 2017)

eLife Lens Viewer

Research article Biophysics and structural biology

Wed, 03 Jul 2013

Direct single molecule measurement of TCR triggering by agonist pMHC in living primary T cells

Geoff P O'Donoghue Rafal M Pielak Alexander A Smoligovets Jenny J Lin Jay T Groves

PDF Source XML Lens JSON

DOI: 10.7554/eLife.00778

Abstract

T cells discriminate between self and foreign antigenic peptides, displayed on antigen presenting cell surfaces, via the TCR. While the molecular interactions between TCR and its ligands are well characterized in vitro, quantitative measurements of these interactions in living cells are required to accurately resolve the physical mechanisms of TCR signaling. We report direct single molecule measurements of TCR triggering by agonist pMHC in hybrid junctions

Content

Figures

References

Info

Abstract
eLife digest
Main Text
Introduction
Results
Characterization of agonist pMHC:TCR complexes
TCR triggering monitored by ZAP70 recruitment
Single molecule agonist pMHC:TCR binding kinetics
Stochastic reaction-diffusion simulations
Discussion
Materials and methods
DNA, protein, and T cell preparation
Peptide purification and labeling
Microscopy
Imaging chamber and supported lipid bilayer preparation
Data analysis
Stochastic kinetic simulation
Article Commentary
Decision letter
Author response

Screenshot, eLife Lens Viewer in OJS, (22. Februar 2017)

Plugin-Galerie

Appearance | Information | Archiving | Languages | Plugins | Announcements | Help

Installed Plugins | Plugin Gallery

Plugin Gallery

All Categories

Search

Name	Description	Status
Hypothes.is	This plugin integrates the Hypothes.is annotation tool into articles.	
COinS	This plugin embeds OpenURL COinS in OJS articles.	
QuickSubmit	The QuickSubmit plugin permits Journal Managers to quickly enter submissions through the OJS website, bypassing the editorial workflow.	
Piwik	Permits usage statistics tracking using Piwik.	
Manuscript (Default child theme)	A clean, simple theme with a boxed layout that mimics a paper document.	

Screenshot, Plugin-Galerie, (22. Februar 2017)

Manuscript (Default child theme)

Nate Wright
Public Knowledge Project

https://github.com/NateWr/defaultManuscript

A clean, simple theme with a boxed layout that mimics a paper document. It features a similar layout as the default theme, with a different look and feel for your OJS 3 journal. You can customize the primary and accent colors to match your branding.

Install

Official
This plugin is developed and maintained by the Public Knowledge Project team.

v1.0.0.0 released on 2017-02-07

Initial release.

Screenshot, Plugin-Beschreibung, (22. Februar 2017)

Zeitschriften-Beispiele

- http://journal.fi
- https://e-medjournal.com
- http://thermal-science.tech
- http://revistas.unlp.edu.ar
- https://ojs.hse.ru
- http://www.jmri.org.in
- http://ijbi.org

Migration zu OJS 3

- Achtung: **Backup** !!!
- Datenmigration ist automatisiert (*php tools/upgrade.php upgrade*)
  - Achtung:
    Die Dateien werden umstrukturiert und das ist nicht rückgängig
    Dateizugriffsrechte und Upgrade-Warnings
- Layout/Design muss neu angegangen werden
- Immer noch einige (unkritische) Bugs zu lösen
- Test-Migration -> detailliertes Check -> finale Migration planen

Roadmap

- https://github.com/pkp/pkp-lib/milestones
- OJS 3.1 für Mai 2017 geplant
  - enthält alle Kern-Features (z. B. Abonnements)
  - einige Plugins müssen noch migriert werden (z. B. Lucene, SWORD)
- ab 3.1.1 können OJS und OMP hoffentlich gleichzeitig veröffentlicht werden
  - die Anwendungen werden mehr angeglichen sein, so dass keine Vernachlässigung einer Anwendung passiert, solange man an der anderen intensiv entwickelt
- OJS 2.4.x wird noch mehrere Jahre existieren, jedoch mit keinen/wenigen neuen Features

PKP-Aktivitäten

- OJS and OMP
- OCS?
- PKP Index
- Hosting
- Open Typesetting Stack (OTS) + Texture
- PKP LOCKSS Network (PLN)
- Open Access Publishing Cooperative Feasibility Study
- Community Events

Open Typesetting Stack (OTS)

- Word-kompatibel- und PDF-Input -> NLM3 XML, HTML, und PDF
- Verbesserung des automatischen Parsing
- Standalone: http://pkp-xml-demo.lib.sfu.ca
- Code: https://github.com/pkp/xmlps
- Unterstützung der Entwicklung von WYSIWYG JATS Editor “Texture“ (Substance Software GmbH): https://github.com/substance/texture
- Integration von Texture und OTS mit OJS 3, um JATS XML aus Word und PDF publizieren zu können.

PKP LOCKSS Network (PLN)

- Private LOCKSS Network (PLN) um OJS-Zeitschriften digital zu archivieren
- PKP-PLN-Plug-In
- Der mit OJS-nativen Werkzeugen exportierte Inhalt wird archiviert
- Neue Inhalte werden automatisch abgeholt
- Zugang zum Archiv erst nach dem “Trigger-Event” -> der archivierte Inhalt wird in eine der PKP-OJS-Installationen importiert und öffentlich zugänglich gemacht
- Knoten in USA, Kanada und Europa
- 343 Zeitschriften (1. Februar 2017)
- Unterstützt durch DOAJ - ein Kriterium (Archivierung) für DOAJ-Siegel
- S. https://pkp.sfu.ca/pkp-lockss/

OA Publishing Cooperative Feasibility Study

- Ausgangslage: immer noch sehr viele Not-OA-Zeitschriften, steigende Preise, Article Processing Charges (APC)
- Projekt: Co-ops zwischen Akteuren des wissenschaftlichen Publizierens: Zeitschriften, Bibliotheken, Förderer, Dienstleistungsanbieter,...
- Ziel: ein wirtschaftlich verantwortliches und nachhaltiges Modell sowie Verbesserung der Qualität von Forschung und Wissenschaft
- Sammlung und Untersuchung der Finanzdaten, Befragung der Akteure und Bewertung der Open-Source-Infrastruktur für Pilotprojekte
- disziplinbasiert (Anthropologie), national (Kanada) und regional (subsaharisches Afrika)
- Übergang von drei Jahren - “subscription-equivalent transition” (SET)

Join

- PKP 2017 Konferenz in Montreal
  - **Reclaiming Scholarship: Voice, Rights, Ownership**
  - Call for Papers: https://pkp.sfu.ca/pkp2017/schedConf/cfp
- PKP Community Forum:
  - http://forum.pkp.sfu.ca
- PKP Dokumentation Interest Group:
  - https://pkp.sfu.ca/2016/07/27/join-the-pkp-documentation-interest-group
- PKP für Entwickler:
  - Sprint 2 x im Jahr
  - http://pkp.github.io
  - https://pkp.sfu.ca/developers
- PKP News:
  - https://pkp.sfu.ca/category/news

Fragen, Kommentare, Erfahrungen?

Vielen Dank!

Copyright: Simon Fraser University holds the copyright for work produced by the Public Knowledge Project and has placed its documentation under a Creative Commons Attribution 4.0 International License.